



GP068.05.cn3.ST25

SEQUENCE LISTING

<110> Becker, Michael M.
Majlëssi, Mehrdad
Brentano, Steven T.

<120> Modified oligonucleotides and Methods for Determining the
Presence of a Nucleic Acid Analyte in a Sample

<130> GP068-05.CN3

<140> 09/808,558
<141> 2001-03-14

<150> 09/565,427
<151> 2000-05-05

<150> 08/893,300
<151> 1997-07-15

<150> 60/021,818
<151> 1996-07-16

<160> 11

<170> PatentIn version 3.2

<210> 1
<211> 26
<212> DNA
<213> Escherichia coli

<400> 1
atgttggtt aagtcctgca acgagc 26

<210> 2
<211> 26
<212> DNA
<213> Escherichia coli

<400> 2
gttcgttgcg ggacttaacc caacat 26

<210> 3
<211> 26
<212> RNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(26)
<223> 2'-O-methyl ribonucleotides

<400> 3
gcucguugcg ggacuaaacc caacau 26

<210> 4
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(12)
<223> 2'-O-methyl ribonucleotides

<220>
<221> misc_feature
<222> (13)..(20)
<223> deoxyribonucleotides

<220>
<221> misc_feature
<222> (21)..(26)
<223> 2'-O-methyl ribonucleotides

<400> 4
gcucguugcg ggacttaacc caacau

26

<210> 5
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
<221> misc_feature
<222> (1)..(12)
<223> deoxyribonucleotides

<220>
<221> misc_feature
<222> (13)..(20)
<223> 2'-O-methyl ribonucleotides

<220>
<221> misc_feature
<222> (21)..(26)
<223> deoxyribonucleotides

<400> 5
gctcgttgcg ggacuuaacc caacat

26

<210> 6
<211> 26
<212> DNA
<213> Artificial

<220>
<223> Escherichia coli target-complementary probe sequence

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> deoxyribonucleotides

<220>
 <221> misc_feature
 <222> (9)..(24)
 <223> 2'-O-methyl ribonucleotides

<220>
 <221> misc_feature
 <222> (25)..(26)
 <223> deoxyribonucleotides

<400> 6
 gctcgttgcg ggacuuaacc caacat 26

<210> 7
 <211> 26
 <212> RNA
 <213> Escherichia coli

<400> 7
 gcucguugcg ggacuuaacc caacau 26

<210> 8
 <211> 26
 <212> RNA
 <213> Artificial

<220>
 <223> Synthetic construct containing base sequence present in
 Escherichia coli

<220>
 <221> misc_feature
 <222> (1)..(26)
 <223> 2'-O-methyl ribonucleotides

<400> 8
 auguuggguu aagucccgca acgagc 26

<210> 9
 <211> 26
 <212> RNA
 <213> Escherichia coli

<400> 9
 auguuggguu aagucccgca acgagc 26

<210> 10
 <211> 26
 <212> DNA
 <213> Artificial

<220>
 <223> Escherichia coli target-complementary probe sequence

<220>
 <221> misc_feature
 <222> (1)..(15)
 <223> deoxyribonucleotides

<220>
 <221> misc_feature
 <222> (16)..(17)
 <223> 2'-O-methyl ribonucleotides

<220>
 <221> misc_feature
 <222> (18)..(26)
 <223> deoxyribonucleotides

<400> 10
 gctcgttgcg ggactuaacc caacat

26

<210> 11
 <211> 26
 <212> DNA
 <213> Artificial

<220>
 <223> Escherichia coli target-complementary probe sequence

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> deoxyribonucleotides

<220>
 <221> misc_feature
 <222> (15)..(18)
 <223> 2'-O-methyl ribonucleotides

<220>
 <221> misc_feature
 <222> (19)..(26)
 <223> deoxyribonucleotides

<400> 11
 gctcgttgcg ggacuuaacc caacat

26